Infant formulas available for retail sale in Canada

	Standard Cow's Milk Formulas		Modified Cow's Milk Formulas			
Stage 1	En	Enfamil Enfamil A+ DHA, prebio (GOS, PDX) Enfamil A+ Premium DHA, prebio (GOS, PDX, 2-FL)	рНW		Good Start 1 Good Start Plus 1 DHA, prebio (2'-FL) - concentrate & RTF only Good Start Plus 1 DHA, prebio (2'-FL), probio (B. lactis) - powder only	
	Kirkland Omega+ DHA, prebio (GOS) Similac Step 1 Similac Lower Iron iron 6.6 mg/L Similac Advance Step 1 DHA, prebio (GOS) Similac Pro-Advance Step 1 DHA, prebio (FOS, 2'-FL)	р	reduced	Good Start Soothe ^{DHA, prebio} (2'-FL), probio (L. reuteri) Similac Total Comfort ^{DHA}		
		nilac Advance Step 1 DHA, prebio (GOS)	pHWC	Lactose	Enfamil A+ Gentlease ^{DHA} Enfamil A+ Serenity ^{DHA, prebio} (GOS, PDX)	
	Soy Formulas			free	Enfamil A+ Lactose Free DHA Kirkland for Babies Sensitive to Lactose DHA	
	Go	Enfamil A+ Soy ^{DHA} Good Start Alsoy ^{DHA} Similac Isomil ^{DHA}		Lactose-free	Similac Sensitive Lactose Sensitivity	
	Formulas for Use Under Medical Supervision					
	PDPF	Enfamil A+ EnfaCare ^{DHA} Similac Neosure ^{DHA}	GER	Enfamil A+ Spit Up DHA, prebio (GOS, PDX)		
	енс	Nutramigen A+ DHA Nutramigen A+ LGG DHA, probio (LGG) Pregestimil A+ DHA, increased MCT Similac Alimentum DHA, increased MCT	aa	Puramino A+ ^{DHA} Neocate DHA & ARA ^{DHA}		
Stage 2	Standard Cow's Milk Formulas		Мо	Modified Cow's Milk Formulas		
	Enfamil 2 Enfamil A+ 2 DHA, prebio (GOS, PDX) Similac Step 2 Similac Advance Step 2 DHA, prebio (GOS) Similac Pro-Advance Step 2 DHA, prebio (FOS, 2'-FL)		MHd	Go	od Start 2 od Start Plus 2 ^{DHA,} prebio (2'-FL)- concentrate & RTF only od Start Plus 2 ^{DHA,} prebio (2'-FL), probio (B. lactis) – powder only	

Imported Formulas

Starting in 2022, Health Canada allowed the temporary importation and sale of certain infant formulas to mitigate infant formula shortages. Newly approved products are not reflected on this Summary Sheet but are starting to appear in retail stores and pharmacies. View more information and an up-to-date list of approved formulas.

Hyperlinks lead to

2'-FL: 2'-fucosyllactose aa: amino acid-based

B. lactis: Bifidobacterium lactis BB-12

trademarks, logos or content for which Alberta Health Services is not the copyright owner.

DHA: omega-3 fatty acid

eHC: extensively hydrolyzed casein

FOS: fructo-oligosaccharide GER: gastroesophageal reflux GOS: galacto-oligosaccharide

LGG: Lacticaseibacillus (formerly Lactobacillus) rhamnosis GG

L. reuteri: Lactobacillus reuteri DSM 17938 (aka Limosilactobacillus reuteri) MCT: medium chain triglycerides

PDPF: post-discharge preterm formula

PDX: polydextrose

pHW: partially hydrolyzed whey

pHWC: partially hydrolyzed whey & casein

prebio: prebiotic probio: probiotic

Stage 1: birth-12 months Stage 2: 6+ months



August 2023 Page 1 of 2

© 2023 Alberta Health Services, Nutrition Services.



This copyright work is licensed under the Creative Commons Attribution-Non-Commercial-No Derivatives 4.0 International License except where otherwise indicated. To view a copy of this license, visit http://creativecommons.org/licenses/by-nc- BY NO NO nd/4.0/. You are free to copy and distribute the work including in other media and formats for non-commercial purposes, as long as you attribute the work to Alberta Health Services, do not adapt the work, and abide by the other license terms. The license does not apply to AHS **Exclusive breastfeeding** for the first six months, and continued for up to two years or longer, is recommended for the healthy growth and development of infants and toddlers¹ and for the benefits to the individual who is lactating.² As per the <u>AHS Breastfeeding Policy</u>³ health professionals must support parents and their families to make informed feeding decisions. For breastfeeding parents who partially feed or do not feed breastmilk*, infant formula provides infants with adequate nutrition and is the most suitable breastmilk substitute until 9–12 months of age.¹

The **purpose of this summary sheet** is to support health professionals in helping clients choose an appropriate infant formula. It lists infant formulas available for retail sale in Canada by category. All reasonable efforts were made to ensure the accuracy of product information through manufacturer websites, representatives, and product labels in Edmonton, AB stores. For information on infant formula ingredients and indications for use, see <u>Infant Formulas – Ingredients and Indications</u>.

If clients have challenges accessing an appropriate infant formula, advise them of the following:

- Inquire with store manager or pharmacist about availability. Some locations keep infant formula behind the counter.
- Investigate online availability.
- Contact the infant formula manufacturer directly: <u>Abbott</u> (Similac), <u>Mead Johnson</u> (Enfamil, Nutramigen, Pregestimil, Puramino), <u>Perrigo</u> (Kirkland, <u>Good Start</u>), <u>Nutricia</u> (Neocate).
- If an infant formula substitution is needed, another formula in the same category can typically be used. There is no evidence that a new formula needs to be introduced gradually.^{4,5}

Clients **accessing income support** programs through the Government of Alberta may be eligible for funding to cover the cost of specialized infant formulas. Refer to <u>PEAS | Formula Coverage</u> for information on which formulas may be covered by these programs. Find instructions on how to help eligible clients apply for coverage through <u>Funding Options</u> for <u>Special Diets</u> and <u>Nutrition Products</u>.

Clients **residing on a reserve** and **accessing income support** are eligible for **non-prescription** infant formula coverage. For details on this benefit, contact the client's First Nation Band Administration office to speak with the Social Director.

Prescription infant formula costs may be covered by **Non-Insured Health Benefits**. For details on eligibility, refer to Appendix I: Nutritional products formulary.

References

 Health Canada, Canadian Paediatric Society, Dietitians of Canada, Breastfeeding Committe for Canada. Nutrition for healthy term infants: recommendations from birth to six months [Internet]. 2015 [cited 2023 Mar 20]. Available from: https://www.canada.ca/en/health-canada/services/food-nutrition/healthy-eating/infant-feeding/nutrition-healthy-term-infants-recommendations-birth-six-months.html

- 2. Victora CG, Bahl R, Barros AJD, Franca GVA, Horton S, Krasevec J, et al. Breastfeeding in the 21st century: Epidemiology, mechanisms, and lifelong effect. Lancet. 2016;387(10017):475–90.
- 3. Alberta Health Services. Breastfeeding policy [Internet]. Alberta; 2023 [cited 2023 Mar 20]. p. 1–5. Available from: https://extranet.ahsnet.ca/teams/policydocuments/1/clp-ahs-bf-hcs-302.pdf
- 4. Store Brand Formula by Perrigo. New clinical research shows need for baby formula education. Switching baby formula is safe; watering down formula or reducing feedings is dangerous [Internet]. 2012 [cited 2023 Jun 13]. Available from: https://www.storebrandformula.com/media/baby-formula-education.aspx
- 5. Enfamil. Considerations when changing formulas [Internet]. 2023 [cited 2023 Jun 13]. Available from: https://www.enfamil.ca/blogs/feeding-issue-centre/changing-formulas

^{*} Some clients may not identify with the term breastmilk and/or breastfeeding, and may instead identify with terms such as chest milk or human milk, and/or chestfeeding, body feeding³ or nursing. In all circumstances, care providers shall utilize client-and family-centred care to be responsive to the self-identified gender, pronouns, and terminology of the families they support.³